

THE BOLD NEW AGE



ALL-NEW ISUZU

D-MAX

DOUBLE CAB SPECIFICATIONS

Introducing the All-New ISUZU D-MAX, our Boldest Bakkie yet.

MODEL SHOWN: D-MAX 3.0 Double Cab 4X4 V-CROSS A/T

www.isuzu.co.za f X @

ISUZU

With you, for the long run

ISUZU'S legendary commitment to excellence, combined with the latest in cutting-edge technology, has produced a truly exceptional addition to its range – the all-new ISUZU D-MAX.

Whether your next adventure is pleasure or business, the new ISUZU D-MAX Double Cab ticks all the boxes. It's the ideal partner for weekend off-roading, road-tripping family holidays or navigating the concrete jungle.



MODEL SHOWN: D-MAX 3.0 Double Cab 4X4 V-CROSS A/T

ALL-NEW ISUZU
D-MAX

ISUZU D-MAX DOUBLE CAB SPECIFICATIONS

| MODELS | D-MAX 1.9 Ddi L | D-MAX 1.9 Ddi L A/T | D-MAX 1.9 Ddi 4X4 L | D-MAX 1.9 Ddi LS | D-MAX 1.9 Ddi LS A/T | D-MAX 1.9 Ddi 4X4 LS A/T |
|--|---------------------|---------------------|---------------------|---------------------|----------------------|--------------------------|
| ENGINE | | | | | | |
| Engine Code | RZ4E-MID | RZ4E-MID | RZ4E-MID | RZ4E-MID | RZ4E-MID | RZ4E-MID |
| Displacement (cc) | 1 898 | 1 898 | 1 898 | 1 898 | 1 898 | 1 898 |
| No. of Cylinders | 4 | 4 | 4 | 4 | 4 | 4 |
| Compression Ratio | 16.5:1 | 16.5:1 | 16.5:1 | 16.5:1 | 16.5:1 | 16.5:1 |
| Bore X Stroke (mm) | 80 X 94.4 | 80 X 94.4 |
| No. of Valves | 16 | 16 | 16 | 16 | 16 | 16 |
| Power (kW) @ r/min | 110 @ 3 600 | 110 @ 3 600 | 110 @ 3 600 | 110 @ 3 600 | 110 @ 3 600 | 110 @ 3 600 |
| Torque (nm) @ r/min | 350 @ 1 800 – 2 600 | 350 @ 1 800 – 2 600 | 350 @ 1 800 – 2 600 | 350 @ 1 800 – 2 600 | 350 @ 1 800 – 2 600 | 350 @ 1 800 – 2 600 |
| Turbocharger | Standard | Standard | Standard | Standard | Standard | Standard |
| 800 mm Water Depth Protection | Standard | Standard | Standard | Standard | Standard | Standard |
| Pre-Air Cleaner | Standard | Standard | Standard | Standard | Standard | Standard |
| ACG (90 A) | Standard | Standard | Standard | Standard | Standard | Standard |
| ACG with with Intelligent Battery System (IBS) | Standard | Standard | Standard | Standard | Standard | Standard |
| Intercooler | Standard | Standard | Standard | Standard | Standard | Standard |

| FUEL CONSUMPTION¹ | | | | | | |
|---|--------|--------|--------|--------|--------|--------|
| Combined Cycle (Litres/100 km) | 7.3 | 7.3 | 7.4 | 7.3 | 7.3 | 7.6 |
| Combined CO ₂ Emissions (g/km) | 190 | 192 | 193 | 190 | 192 | 198 |
| Fuel Type | Diesel | Diesel | Diesel | Diesel | Diesel | Diesel |

| TRANSMISSION | | | | | | |
|---------------------|----------------|-------------------|----------------|----------------|-------------------|-------------------|
| Transmission Type | 6-Speed Manual | 6-Speed Automatic | 6-Speed Manual | 6-Speed Manual | 6-Speed Automatic | 6-Speed Automatic |
| Gear Ratio: 1st | 4.942 | 3.600 | 4.942 | 4.942 | 3.600 | 3.600 |
| Gear Ratio: 2nd | 2.686 | 2.090 | 2.686 | 2.686 | 2.090 | 2.090 |
| Gear Ratio: 3rd | 1.527 | 1.488 | 1.527 | 1.527 | 1.488 | 1.488 |
| Gear Ratio: 4th | 1.000 | 1.000 | 1.000 | 1.000 | 1.000 | 1.000 |
| Gear Ratio: 5th | 0.749 | 0.687 | 0.749 | 0.749 | 0.687 | 0.687 |
| Gear Ratio: 6th | 0.634 | 0.580 | 0.634 | 0.634 | 0.580 | 0.580 |
| Gear Ratio: Reverse | 4.597 | 3.732 | 4.597 | 4.597 | 3.732 | 3.732 |
| 4WD Selector | - | - | Standard | - | - | Standard |
| Low Range Ratio | - | - | 2.482 | - | - | 2.482 |

| FRONT DIFFERENTIAL | | | | | | |
|--------------------------------------|---|---|----------|---|---|----------|
| Shift on the Fly up to 100 km / hour | - | - | Standard | - | - | Standard |
| Axle Ratio: Final Drive | - | - | 4.1 | - | - | 4.1 |

| REAR DIFFERENTIAL | | | | | | |
|--------------------------|-----|-----|----------|----------|----------|----------|
| Differential Lock | - | - | Standard | Standard | Standard | Standard |
| Axle Ratio: Final Drive | 4.1 | 4.1 | 4.1 | 4.1 | 4.1 | 4.1 |

| CHASSIS DESIGN | | | | | | |
|------------------------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|
| Front Wheel Suspension | High Mounting |
| Rear Wheel Suspension | Leaf Spring Overslung |
| Shock Absorbers | Twintube Gas Pressurised |
| Suspension | High-Ride | High-Ride | High-Ride | High-Ride | High-Ride | High-Ride |
| Skid Plate Guard Front | Standard | Standard | Standard | Standard | Standard | Standard |
| Skid Plate Guard Rear | Standard | Standard | Standard | Standard | Standard | Standard |
| Engine Sump Guard | Standard | Standard | Standard | Standard | Standard | Standard |
| Transfer Case Guard | - | - | Standard | - | - | Standard |
| Oil Pan Guard | Standard | Standard | Standard | Standard | Standard | Standard |

| MODELS | D-MAX 3.0 Ddi 4X4 LS | D-MAX 3.0 Ddi 4X4 LS A/T | D-MAX 3.0 Ddi LSE A/T | D-MAX 3.0 Ddi 4X4 LSE A/T | D-MAX 3.0 Ddi V-Cross A/T | D-MAX 3.0 Ddi 4X4 V-Cross A/T |
|--|----------------------|--------------------------|-----------------------|---------------------------|---------------------------|-------------------------------|
| ENGINE | | | | | | |
| Engine Code | 4JJ3 | 4JJ3 | 4JJ3 | 4JJ3 | 4JJ3 | 4JJ3 |
| Displacement (cc) | 2 999 | 2 999 | 2 999 | 2 999 | 2 999 | 2 999 |
| No. of Cylinders | 4 | 4 | 4 | 4 | 4 | 4 |
| Compression Ratio | 16.3:1 | 16.3:1 | 16.3:1 | 16.3:1 | 16.3:1 | 16.3:1 |
| Bore X Stroke (mm) | 95.4 X 104.9 | 95.4 X 104.9 | 95.4 X 104.9 | 95.4 X 104.9 | 95.4 X 104.9 | 95.4 X 104.9 |
| No. of Valves | 16 | 16 | 16 | 16 | 16 | 16 |
| Power (kW) @ r/min | 140 @ 3 600 | 140 @ 3 600 | 140 @ 3 600 | 140 @ 3 600 | 140 @ 3 600 | 140 @ 3 600 |
| Torque (nm) @ r/min | 450 @ 1 600 – 2 600 | 450 @ 1 600 – 2 600 | 450 @ 1 600 – 2 600 | 450 @ 1 600 – 2 600 | 450 @ 1 600 – 2 600 | 450 @ 1 600 – 2 600 |
| Turbocharger | Standard | Standard | Standard | Standard | Standard | Standard |
| 800 mm Water Depth Protection | Standard | Standard | Standard | Standard | Standard | Standard |
| Pre-Air Cleaner | Standard | Standard | Standard | Standard | Standard | Standard |
| ACG (90 A) | Standard | Standard | Standard | Standard | Standard | Standard |
| ACG with with Intelligent Battery System (IBS) | Standard | Standard | Standard | Standard | Standard | Standard |
| Intercooler | Standard | Standard | Standard | Standard | Standard | Standard |

| FUEL CONSUMPTION¹ | | | | | | |
|---|--------|--------|--------|--------|--------|--------|
| Combined Cycle (Litres/100 km) | 8.2 | 7.9 | 7.9 | 7.9 | 7.9 | 8.1 |
| Combined CO ₂ Emissions (g/km) | 214 | 208 | 208 | 208 | 208 | 212 |
| Fuel Type | Diesel | Diesel | Diesel | Diesel | Diesel | Diesel |

| TRANSMISSION | | | | | | |
|---------------------|----------------|-------------------|-------------------|-------------------|-------------------|-------------------|
| Transmission Type | 6-Speed Manual | 6-Speed Automatic |
| Gear Ratio: 1st | 4.942 | 3.600 | 3.600 | 3.600 | 3.600 | 3.600 |
| Gear Ratio: 2nd | 2.452 | 2.090 | 2.090 | 2.090 | 2.090 | 2.090 |
| Gear Ratio: 3rd | 1.428 | 1.488 | 1.488 | 1.488 | 1.488 | 1.488 |
| Gear Ratio: 4th | 1.000 | 1.000 | 1.000 | 1.000 | 1.000 | 1.000 |
| Gear Ratio: 5th | 0.749 | 0.687 | 0.687 | 0.687 | 0.687 | 0.687 |
| Gear Ratio: 6th | 0.634 | 0.580 | 0.580 | 0.580 | 0.580 | 0.580 |
| Gear Ratio: Reverse | 4.597 | 3.732 | 3.732 | 3.732 | 3.732 | 3.732 |
| 4WD Selector | Standard | Standard | - | Standard | - | Standard |
| Low Range Ratio | 2.482 | 2.482 | - | 2.482 | - | 2.482 |

| FRONT DIFFERENTIAL | | | | | | |
|--------------------------------------|----------|----------|---|----------|---|----------|
| Shift on the Fly up to 100 km / hour | Standard | Standard | - | Standard | - | Standard |
| Axle Ratio: Final Drive | 3.727 | 3.727 | - | 3.727 | - | 3.727 |

| REAR DIFFERENTIAL | | | | | | |
|--------------------------|----------|----------|----------|----------|----------|----------|
| Differential Lock | Standard | Standard | Standard | Standard | Standard | Standard |
| Axle Ratio: Final Drive | 3.727 | 3.727 | 3.727 | 3.727 | 3.727 | 3.727 |

| CHASSIS DESIGN | | | | | | |
|------------------------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|
| Front Wheel Suspension | High Mounting |
| Rear Wheel Suspension | Leaf Spring Overslung |
| Shock Absorbers | Twintube Gas Pressurised |
| Suspension | High-Ride | High-Ride | High-Ride | High-Ride | High-Ride | High-Ride |
| Skid Plate Guard Front | Standard | Standard | Standard | Standard | Standard | Standard |
| Skid Plate Guard Rear | Standard | Standard | Standard | Standard | Standard | Standard |
| Engine Sump Guard | Standard | Standard | Standard | Standard | Standard | Standard |
| Transfer Case Guard | Standard | Standard | - | Standard | - | Standard |
| Oil Pan Guard | Standard | Standard | Standard | Standard | Standard | Standard |

| MODELS | D-MAX 1.9 Ddi L | D-MAX 1.9 Ddi L A/T | D-MAX 1.9 Ddi 4X4 L | D-MAX 1.9 Ddi LS | D-MAX 1.9 Ddi LS A/T | D-MAX 1.9 Ddi 4X4 LS A/T |
|---------------------------------|---------------------|---------------------|---------------------|---------------------|----------------------|--------------------------|
| WHEELS AND TYRES | | | | | | |
| Tyre Size | 255 / 65 R 17 | 255 / 65 R 17 AT |
| Wheels Size / Type | Steel 17" X 7.0J-33 | Steel 17" X 7.0J-33 | Steel 17" X 7.0J-33 | Alloy 17" X 7.0J-33 | Alloy 17" X 7.0J-33 | Alloy 17" X 7.0J-33 |
| Spare Wheel Size / Type | Steel 17" X 7.0J-33 | Steel 17" X 7.0J-33 |
| Turning Circle (m) | 12.5 | 12.5 | 12.5 | 12.5 | 12.5 | 12.5 |
| Tyre-Pressure Monitoring Sensor | - | - | - | - | - | - |

| DIMENSIONS | | | | | | |
|-------------------------|---------------|---------------|---------------|---------------|---------------|---------------|
| Length (mm) | 5 265 | 5 265 | 5 265 | 5 265 | 5 265 | 5 265 |
| Width (mm) | 1 870 | 1 870 | 1 870 | 1 870 | 1 870 | 1 870 |
| Height (mm) | 1 805 | 1 805 | 1 805 | 1 805 | 1 805 | 1 805 |
| Wheelbase (mm) | 3 125 | 3 125 | 3 125 | 3 125 | 3 125 | 3 125 |
| Front / Rear Track (mm) | 1 570 / 1 570 | 1 570 / 1 570 | 1 570 / 1 570 | 1 570 / 1 570 | 1 570 / 1 570 | 1 570 / 1 570 |
| Rear Overhang (mm) | 1 250 | 1 250 | 1 250 | 1 250 | 1 250 | 1 250 |
| Ground Clearance (mm) | 227 | 227 | 227 | 227 | 227 | 227 |
| Loadbox Length (mm) | 1 495 | 1 495 | 1 495 | 1 495 | 1 495 | 1 495 |
| Loadbox Width (mm) | 1 530 | 1 530 | 1 530 | 1 530 | 1 530 | 1 530 |
| Loadbox Depth (mm) | 490 | 490 | 490 | 490 | 490 | 490 |
| Approach Angle (°) | 30 | 30 | 30 | 30 | 30 | 30 |
| Departure Angle (°) | 24 | 24 | 24 | 24 | 24 | 24 |
| Breakover Angle (°) | 22.5 | 22.5 | 22.5 | 22.5 | 22.5 | 22.5 |
| Wading Depth (mm) | 800 | 800 | 800 | 800 | 800 | 800 |

| MASS / CAPACITY | | | | | | |
|---|-------|-------|-------|-------|-------|-------|
| Gross Axle Mass - Front (GA1) (kg) | 1 450 | 1 450 | 1 450 | 1 450 | 1 450 | 1 450 |
| Gross Axle Mass - Rear (GA2) (kg) | 1 910 | 1 910 | 1 910 | 1 910 | 1 910 | 1 910 |
| Gross Vehicle Mass (GVM) (kg) | 3 000 | 3 000 | 3 100 | 3 000 | 3 000 | 3 100 |
| Gross Combined Mass (GCM) (kg) | 5 000 | 5 000 | 5 000 | 5 000 | 5 000 | 5 000 |
| Tare Mass (kg) | 1 820 | 1 845 | 1 900 | 1 820 | 1 845 | 1 935 |
| Payload (kg) | 1 120 | 1 095 | 1 140 | 1 120 | 1 095 | 1 105 |
| Towing Capacity (kg): Unbraked Trailer ² | 750 | 750 | 750 | 750 | 750 | 750 |
| Towing Capacity / Rating (kg): Braked Trailer ² | 2 100 | 2 100 | 2 100 | 2 100 | 2 100 | 2 100 |
| Fuel Tank Capacity (Litres) | 76 | 76 | 76 | 76 | 76 | 76 |

| LOADBOX FEATURES | | | | | | |
|---|---|---|---|---|---|---|
| Tiedown Brackets in Loadbox for Load Restraint | 4 | 4 | 4 | 4 | 4 | 4 |
| Rope Hooks on Loadbox Side | - | - | - | - | - | - |

| MODELS | D-MAX 3.0 Ddi 4X4 LS | D-MAX 3.0 Ddi 4X4 LS A/T | D-MAX 3.0 Ddi LSE A/T | D-MAX 3.0 Ddi 4X4 LSE A/T | D-MAX 3.0 Ddi V-Cross A/T | D-MAX 3.0 Ddi 4X4 V-Cross A/T |
|---------------------------------|----------------------|--------------------------|-----------------------|---------------------------|---------------------------|-------------------------------|
| WHEELS AND TYRES | | | | | | |
| Tyre Size | 255 / 65 R 17 | 255 / 65 R 17 | 265 / 60 R 18 | 265 / 60 R 18 | 265 / 60 R 18 | 265 / 60 R 18 |
| Wheels Size / Type | Alloy 17" X 7.0J-33 | Alloy 17" X 7.0J-33 | Alloy 18" X 7.5J-33 | Alloy 18" X 7.5J-33 | Alloy 18" X 7.5J-33 | Alloy 18" X 7.5J-33 |
| Spare Wheel Size / Type | Steel 17" X 7.0J-33 | Steel 17" X 7.0J-33 | Alloy 18" X 7.5J-33 | Alloy 18" X 7.5J-33 | Alloy 18" X 7.5J-33 | Alloy 18" X 7.5J-33 |
| Turning Circle (m) | 12.5 | 12.5 | 12.5 | 12.5 | 12.5 | 12.5 |
| Tyre-Pressure Monitoring Sensor | - | - | Standard | Standard | Standard | Standard |

| DIMENSIONS | | | | | | |
|-------------------------|---------------|---------------|---------------|---------------|---------------|---------------|
| Length (mm) | 5 265 | 5 265 | 5 333 | 5 333 | 5 333 | 5 333 |
| Width (mm) | 1 870 | 1 870 | 1 870 | 1 870 | 1 880 | 1 880 |
| Height (mm) | 1 805 | 1 805 | 1 810 | 1 810 | 1 810 | 1 810 |
| Wheelbase (mm) | 3 125 | 3 125 | 3 125 | 3 125 | 3 125 | 3 125 |
| Front / Rear Track (mm) | 1 570 / 1 570 | 1 570 / 1 570 | 1 570 / 1 570 | 1 570 / 1 570 | 1 570 / 1 570 | 1 570 / 1 570 |
| Rear Overhang (mm) | 1 250 | 1 250 | 1 318 | 1 318 | 1 318 | 1 318 |
| Ground Clearance (mm) | 227 | 227 | 232 | 232 | 232 | 232 |
| Loadbox Length (mm) | 1 495 | 1 495 | 1 495 | 1 495 | 1 495 | 1 495 |
| Loadbox Width (mm) | 1 530 | 1 530 | 1 530 | 1 530 | 1 530 | 1 530 |
| Loadbox Depth (mm) | 490 | 490 | 490 | 490 | 490 | 490 |
| Approach Angle (°) | 30 | 30 | 30 | 30 | 30 | 30 |
| Departure Angle (°) | 24 | 24 | 18 | 18 | 18 | 18 |
| Breakover Angle (°) | 22.5 | 22.5 | 22.5 | 22.5 | 22.5 | 22.5 |
| Wading Depth (mm) | 800 | 800 | 800 | 800 | 800 | 800 |

| MASS / CAPACITY | | | | | | |
|---|-------|-------|-------|-------|-------|-------|
| Gross Axle Mass - Front (GA1) (kg) | 1 450 | 1 450 | 1 450 | 1 450 | 1 450 | 1 450 |
| Gross Axle Mass - Rear (GA2) (kg) | 1 910 | 1 910 | 1 910 | 1 910 | 1 910 | 1 910 |
| Gross Vehicle Mass (GVM) (kg) | 3 100 | 3 100 | 3 000 | 3 100 | 3 000 | 3 100 |
| Gross Combined Mass (GCM) (kg) | 6 000 | 6 000 | 6 000 | 6 000 | 6 000 | 6 000 |
| Tare Mass (kg) | 1 970 | 1 980 | 1 950 | 2 045 | 1 980 | 2 070 |
| Payload (kg) | 1 070 | 1 060 | 990 | 995 | 960 | 970 |
| Towing Capacity (kg): Unbraked Trailer ² | 750 | 750 | 750 | 750 | 750 | 750 |
| Towing Capacity / Rating (kg): Braked Trailer ² | 3 500 | 3 500 | 3 500 | 3 500 | 3 500 | 3 500 |
| Fuel Tank Capacity (Litres) | 76 | 76 | 76 | 76 | 76 | 76 |

| LOADBOX FEATURES | | | | | | |
|---|---|---|---|---|---|---|
| Tiedown Brackets in Loadbox for Load Restraint | 4 | 4 | 4 | 4 | 4 | 4 |
| Rope Hooks on Loadbox Side | - | - | - | - | - | - |

| MODELS | D-MAX 1.9 Ddi L | D-MAX 1.9 Ddi L A/T | D-MAX 1.9 Ddi 4X4 L | D-MAX 1.9 Ddi LS | D-MAX 1.9 Ddi LS A/T | D-MAX 1.9 Ddi 4X4 LS A/T |
|--|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|
| SAFETY FEATURES | | | | | | |
| Anti-Lock Braking System (ABS) | Standard | Standard | Standard | Standard | Standard | Standard |
| Electronic Brake-Force Distribution (EBD) | Standard | Standard | Standard | Standard | Standard | Standard |
| Brake-Assist System (BAS) | Standard | Standard | Standard | Standard | Standard | Standard |
| Electronic Stability Control (ESC) with Traction Control | Standard | Standard | Standard | Standard | Standard | Standard |
| Hill-Start Assist (HSA) | Standard | Standard | Standard | Standard | Standard | Standard |
| Hill-Descent Control (HDC) | Standard | Standard | Standard | Standard | Standard | Standard |
| Trailer Sway Control | Standard | Standard | Standard | Standard | Standard | Standard |
| Brake-Override Accelerator (BOA) | Standard | Standard | Standard | Standard | Standard | Standard |
| Multi-Collision Brake | - | - | - | - | - | - |
| Height-Adjustable 3-Point Front Seatbelts | Standard | Standard | Standard | Standard | Standard | Standard |
| Front Seat Centre Lap Belt (2-Point) | - | - | - | - | - | - |
| Seatbelt Pre-Tensioners | Standard | Standard | Standard | Standard | Standard | Standard |
| Fixed 3-Point Rear Seatbelts | Standard | Standard | Standard | Standard | Standard | Standard |
| Seatbelt Reminder | Driver and Passenger |
| Occupant Detection Sensor | Passenger | Passenger | Passenger | Passenger | Passenger | Passenger |
| Driver and Passenger Airbags | Standard | Standard | Standard | Standard | Standard | Standard |
| Front Seat Side Airbags | - | - | - | Standard | Standard | Standard |
| Curtain Airbags | - | - | - | Standard | Standard | Standard |
| Knee Airbag | - | - | - | Driver | Driver | Driver |
| Far Side Airbag | - | - | - | - | - | - |
| Side-Impact Protection Bars | Standard | Standard | Standard | Standard | Standard | Standard |
| Improve Side-Pole Impact | - | - | - | - | - | - |
| Collapsible Steering Column | Standard | Standard | Standard | Standard | Standard | Standard |
| Speed-Sensitive Door Lock | Standard | Standard | Standard | Standard | Standard | Standard |
| ISOFIX Child-Seat Attachment | Standard with Top Tether |
| Parking Distance Sensors | - | - | - | Rear | Rear | Rear |
| Rear-View Camera | - | - | - | Standard | Standard | Standard |
| Front Camera | - | - | - | - | - | - |
| Warning Triangle Kit | Standard | Standard | Standard | Standard | Standard | Standard |
| Emergency Stop Signal | Standard | Standard | Standard | Standard | Standard | Standard |
| Blind-Spot Monitor | - | - | - | - | - | - |
| Rear Cross-Traffic Alert | - | - | - | - | - | - |
| Rear Radar | - | - | - | - | - | - |
| Autonomous Emergency Brake | - | - | - | - | - | - |
| Forward-Collision Warning | - | - | - | - | - | - |
| Pedal Misapplication Mitigation | - | - | - | - | - | - |
| Manual Speed Limiter | - | - | - | - | - | - |
| Lane-Departure Warning | - | - | - | - | - | - |
| Lane-Keep Assist | - | - | - | - | - | - |
| Lane-Departure Prevention | - | - | - | - | - | - |
| Driver Monitoring | - | - | - | - | - | - |

| MODELS | D-MAX 3.0 Ddi 4X4 LS | D-MAX 3.0 Ddi 4X4 LS A/T | D-MAX 3.0 Ddi LSE A/T | D-MAX 3.0 Ddi 4X4 LSE A/T | D-MAX 3.0 Ddi V-Cross A/T | D-MAX 3.0 Ddi 4X4 V-Cross A/T |
|--|--------------------------|--------------------------|--------------------------|---------------------------|--|--------------------------------------|
| SAFETY FEATURES | | | | | | |
| Anti-Lock Braking System (ABS) | Standard | Standard | Standard | Standard | Standard | Standard |
| Electronic Brake-Force Distribution (EBD) | Standard | Standard | Standard | Standard | Standard | Standard |
| Brake-Assist System (BAS) | Standard | Standard | Standard | Standard | Standard | Standard |
| Electronic Stability Control (ESC) with Traction Control | Standard | Standard | Standard | Standard | Standard | Standard |
| Hill-Start Assist (HSA) | Standard | Standard | Standard | Standard | Standard | Standard |
| Hill-Descent Control (HDC) | Standard | Standard | Standard | Standard | Standard | Standard |
| Trailer Sway Control | Standard | Standard | Standard | Standard | Standard | Standard |
| Brake-Override Accelerator (BOA) | Standard | Standard | Standard | Standard | Standard | Standard |
| Multi-Collision Brake | - | - | - | - | Standard | Standard |
| Height-Adjustable 3-Point Front Seatbelts | Standard | Standard | Standard | Standard | Standard | Standard |
| Front Seat Centre Lap Belt (2-Point) | - | - | - | - | - | - |
| Seatbelt Pre-Tensioners | Standard | Standard | Standard | Standard | Standard | Standard |
| Fixed 3-Point Rear Seatbelts | Standard | Standard | Standard | Standard | Standard | Standard |
| Seatbelt Reminder | Driver and Passenger | Driver and Passenger | Driver and Passenger | Driver and Passenger | Driver & Passenger and Rear Passengers | Driver, Passenger and Rear Passenger |
| Occupant Detection Sensor | Passenger | Passenger | Passenger | Passenger | Front and Rear Passengers | Front and Rear Passengers |
| Driver and Passenger Airbags | Standard | Standard | Standard | Standard | Standard | Standard |
| Front Seat Side Airbags | Standard | Standard | Standard | Standard | Standard | Standard |
| Curtain Airbags | Standard | Standard | Standard | Standard | Standard | Standard |
| Knee Airbag | Driver | Driver | Driver | Driver | Driver | Driver |
| Far Side Airbag | - | - | Standard | Standard | Standard | Standard |
| Side-Impact Protection Bars | Standard | Standard | Standard | Standard | Standard | Standard |
| Improve Side-Pole Impact | - | - | - | - | - | - |
| Collapsible Steering Column | Standard | Standard | Standard | Standard | Standard | Standard |
| Speed-Sensitive Door Lock | Standard | Standard | Standard | Standard | Standard | Standard |
| ISOFIX Child-Seat Attachment | Standard with Top Tether | Standard with Top Tether | Standard with Top Tether |
| Parking Distance Sensors | Rear | Rear | Front and Rear | Front and Rear | Front and Rear | Front and Rear |
| Rear-View Camera | Standard | Standard | Standard | Standard | Standard | Standard |
| Front Camera | - | - | - | - | Standard | Standard |
| Warning Triangle Kit | Standard | Standard | Standard | Standard | Standard | Standard |
| Emergency Stop Signal | Standard | Standard | Standard | Standard | Standard | Standard |
| Blind-Spot Monitor | - | - | Standard | Standard | Standard | Standard |
| Rear Cross-Traffic Alert | - | - | Standard | Standard | Standard | Standard |
| Rear Radar | - | - | Standard | Standard | Standard | Standard |
| Autonomous Emergency Brake | - | - | - | - | Standard | Standard |
| Forward-Collision Warning | - | - | - | - | Standard | Standard |
| Pedal Misapplication Mitigation | - | - | - | - | Standard | Standard |
| Manual Speed Limiter | - | - | - | - | Standard | Standard |
| Lane-Departure Warning | - | - | - | - | Standard | Standard |
| Lane-Keep Assist | - | - | - | - | Standard | Standard |
| Lane-Departure Prevention | - | - | - | - | Standard | Standard |
| Driver Monitoring | - | - | - | - | Standard | Standard |

| MODELS | D-MAX 1.9 Ddi L | D-MAX 1.9 Ddi L A/T | D-MAX 1.9 Ddi 4X4 L | D-MAX 1.9 Ddi LS | D-MAX 1.9 Ddi LS A/T | D-MAX 1.9 Ddi 4X4 LS A/T |
|-----------------------------------|-----------------|---------------------|---------------------|------------------|----------------------|--------------------------|
| SECURITY FEATURES | | | | | | |
| Manual Door Locks | - | - | - | - | - | - |
| Remote-Controlled Central Locking | Standard | Standard | Standard | Standard | Standard | Standard |
| Remote Engine Start | - | - | - | - | - | - |
| Remote Keyless Entry | Standard | Standard | Standard | Standard | Standard | Standard |
| Passive Entry Start System (PESS) | - | - | - | - | - | - |
| Child-Proof Rear Door Locks | Standard | Standard | Standard | Standard | Standard | Standard |
| Anti-Theft Alarm System | Standard | Standard | Standard | Standard | Standard | Standard |
| Ultrasonic Alarm | - | - | - | Standard | Standard | Standard |
| Transponder Immobiliser System | Standard | Standard | Standard | Standard | Standard | Standard |
| Selectable Door Unlock | Standard | Standard | Standard | Standard | Standard | Standard |

| INTERIOR / EXTERIOR LIGHTING | | | | | | |
|-------------------------------------|----------|----------|----------|----------|----------|----------|
| Front Reading Lamps | - | - | - | Standard | Standard | Standard |
| Interior Courtesy Lamps | Standard | Standard | Standard | Standard | Standard | Standard |
| Illuminated Entry | Standard | Standard | Standard | Standard | Standard | Standard |
| Front Fog Lamps | - | - | - | Standard | Standard | Standard |
| Daytime Running Lights (DRL) | - | - | - | Halogen | Halogen | Halogen |
| Headlamps | Halogen | Halogen | Halogen | Halogen | Halogen | Halogen |
| Headlamp Levelling | - | - | - | Manual | Manual | Manual |
| Headlamps 'ON' Warning Buzzer | Standard | Standard | Standard | Standard | Standard | Standard |
| Automatic On/Off Headlamp | - | - | - | - | - | - |
| Automatic High Beam | - | - | - | - | - | - |
| Turn Indicator Lamp on Door | Standard | Standard | Standard | - | - | - |
| Rear Taillights - Combination | Bulb | Bulb | Bulb | Bulb | Bulb | Bulb |
| High-Mounted Centre Stop Lamp | Standard | Standard | Standard | Standard | Standard | Standard |
| Rear Fog Lamps | - | - | - | - | - | - |
| Follow-Me-Home Headlamps | Standard | Standard | Standard | Standard | Standard | Standard |

| EXTERIOR FEATURES | | | | | | |
|-----------------------------|---|---|---|--|--|--|
| Front Wiper | Variable Intermittent | Variable Intermittent | Variable Intermittent | Variable Intermittent | Variable Intermittent | Variable Intermittent |
| Radiator Grille | Grey | Grey | Grey | Metallic Grey | Metallic Grey | Metallic Grey |
| Front Bumper | Painted Black | Painted Black | Painted Black | Body Colour | Body Colour | Body Colour |
| Rear Bumper | Painted Black | Painted Black | Painted Black | Body Colour | Body Colour | Body Colour |
| Front Bumper Cladding | - | - | - | - | - | - |
| Towbar | Optional (2.1T) | Optional (2.1T) | Optional (2.1T) | Optional (2.1T) | Optional (2.1T) | Optional (2.1T) |
| Exterior Door Handle | Black | Black | Black | Body Colour | Body Colour | Body Colour |
| Exterior Mirror | Black, Power Adjustment, Driver Side Aspherical | Black, Power Adjustment, Driver Side Aspherical | Black, Power Adjustment, Driver Side Aspherical | Body Colour, Power Adjustment and Manual Folding, Side Indicator, Driver Side Aspherical | Body Colour, Power Adjustment and Manual Folding, Side Indicator, Driver Side Aspherical | Body Colour, Power Adjustment and Manual Folding, Side Indicator |
| B-Pillar Blackout | - | - | - | - | - | - |
| Over Fender (Fender Flares) | - | - | - | - | - | - |
| Roof Rails | - | - | - | - | - | - |
| Sports Bar | - | - | - | - | - | - |
| Sports Hoop | - | - | - | - | - | - |
| Side-Steps | Standard Black | Standard Black | Standard Black | Standard Black | Standard Black | Standard Black |
| Mudflaps | Front and Rear | Front and Rear | Front and Rear | Front and Rear | Front and Rear | Front and Rear |
| Tailgate Handle | Black | Black | Black | Body Colour | Body Colour | Body Colour |

| MODELS | D-MAX 3.0 Ddi 4X4 LS | D-MAX 3.0 Ddi 4X4 LS A/T | D-MAX 3.0 Ddi LSE A/T | D-MAX 3.0 Ddi 4X4 LSE A/T | D-MAX 3.0 Ddi V-Cross A/T | D-MAX 3.0 Ddi 4X4 V-Cross A/T |
|-----------------------------------|----------------------|--------------------------|-----------------------|---------------------------|---------------------------|-------------------------------|
| SECURITY FEATURES | | | | | | |
| Manual Door Locks | - | - | - | - | - | - |
| Remote-Controlled Central Locking | Standard | Standard | - | - | - | - |
| Remote Engine Start | - | - | Standard | Standard | Standard | Standard |
| Remote Keyless Entry | Standard | Standard | - | - | - | - |
| Passive Entry Start System (PESS) | - | - | Standard | Standard | Standard | Standard |
| Child-Proof Rear Door Locks | Standard | Standard | Standard | Standard | Standard | Standard |
| Anti-Theft Alarm System | Standard | Standard | Standard | Standard | Standard | Standard |
| Ultrasonic Alarm | Standard | Standard | Standard | Standard | Standard | Standard |
| Transponder Immobiliser System | Standard | Standard | Standard | Standard | Standard | Standard |
| Selectable Door Unlock | Standard | Standard | Standard | Standard | Standard | Standard |

| INTERIOR / EXTERIOR LIGHTING | | | | | | |
|-------------------------------------|----------|----------|----------------|----------------|----------------|----------------|
| Front Reading Lamps | Standard | Standard | Standard | Standard | Standard | Standard |
| Interior Courtesy Lamps | Standard | Standard | Standard | Standard | Standard | Standard |
| Illuminated Entry | Standard | Standard | Standard | Standard | Standard | Standard |
| Front Fog Lamps | Standard | Standard | Standard / LED | Standard / LED | Standard / LED | Standard / LED |
| Daytime Running Lights (DRL) | Halogen | Halogen | LED | LED | LED | LED |
| Headlamps | Halogen | Halogen | LED | LED | LED | LED |
| Headlamp Levelling | Manual | Manual | Automatic | Automatic | Automatic | Automatic |
| Headlamps 'ON' Warning Buzzer | Standard | Standard | Standard | Standard | Standard | Standard |
| Automatic On/Off Headlamp | - | - | Standard | Standard | Standard | Standard |
| Automatic High Beam | - | - | - | - | Standard | Standard |
| Turn Indicator Lamp on Door | - | - | - | - | - | - |
| Rear Taillights - Combination | Bulb | Bulb | LED | LED | LED | LED |
| High-Mounted Centre Stop Lamp | Standard | Standard | Standard | Standard | Standard | Standard |
| Rear Fog Lamps | - | - | Standard | Standard | Standard | Standard |
| Follow-Me-Home Headlamps | Standard | Standard | Standard | Standard | Standard | Standard |

| EXTERIOR FEATURES | | | | | | |
|-----------------------------|--|--|--|--|--|--|
| Front Wiper | Variable Intermittent | Variable Intermittent | Auto / Rain-Sensing | Auto / Rain-Sensing | Auto / Rain-Sensing | Auto / Rain-Sensing |
| Radiator Grille | Metallic Grey | Metallic Grey | Chrome | Chrome | Gun Metallic | Gun Metallic |
| Front Bumper | Body Colour | Body Colour | Body Colour | Body Colour | High Appearance | High Appearance |
| Rear Bumper | Body Colour | Body Colour | Body Colour | Body Colour | Body Colour | Body Colour |
| Front Bumper Cladding | - | - | - | - | Standard Gun Metallic | Standard Gun Metallic |
| Towbar | Optional (3.5T) | Optional (3.5T) | Standard (3.5T) | Standard (3.5T) | Standard (3.5T) | Standard (3.5T) |
| Exterior Door Handle | Body Colour | Body Colour | Chrome | Chrome | Dark Grey Metallic | Dark Grey Metallic |
| Exterior Mirror | Body Colour, Power Adjustment and Manual Folding, Driver Side Aspherical | Body Colour, Power Adjustment and Manual Folding, Side Indicator, Driver Side Aspherical | Chrome, Power Adjustment and Folding, Heated, Side Indicator, Driver Side Aspherical | Chrome, Power Adjustment and Folding, Heated, Side Indicator, Driver Side Aspherical | Gun Metallic, Power Adjustment and Folding, Heated, Side Indicator, Driver Side Aspherical | Gun Metallic, Power Adjustment and Folding, Heated, Side Indicator, Driver Side Aspherical |
| B-Pillar Blackout | - | - | Standard | Standard | Standard | Standard |
| Over Fender (Fender Flares) | - | - | - | - | Standard Gun Metallic | Standard Gun Metallic |
| Roof Rails | - | - | Standard | Standard | Standard | Standard |
| Sports Bar | - | - | Standard Chrome | Standard Chrome | - | - |
| Sports Hoop | - | - | - | - | Standard Gun Metallic | Standard Gun Metallic |
| Side-Steps | Standard Black | Standard Black | Standard Black | Standard Black | Standard Medium Grey | Standard Medium Grey |
| Mudflaps | Front and Rear | Front and Rear | Front and Rear | Front and Rear | Front and Rear | Front and Rear |
| Tailgate Handle | Body Colour | Body Colour | Chrome | Chrome | Dark Grey Metallic | Dark Grey Metallic |

| MODELS | D-MAX 1.9 Ddi L | D-MAX 1.9 Ddi L A/T | D-MAX 1.9 Ddi 4X4 L | D-MAX 1.9 Ddi LS | D-MAX 1.9 Ddi LS A/T | D-MAX 1.9 Ddi 4X4 LS A/T |
|---|--|--|--|--|--|--|
| INTERIOR FEATURES | | | | | | |
| Power-Assisted Steering (PAS) | Hydraulic | Hydraulic | Hydraulic | Hydraulic | Hydraulic | Hydraulic |
| Air Conditioning | Manual | Manual | Manual | Manual | Manual | Manual |
| Pollen Filter | Standard | Standard | Standard | Standard | Standard | Standard |
| Inside Rear-View Mirror | Day / Night |
| Sunvisor | Driver with Ticket Holder, Passenger with Vanity Mirror | Driver with Ticket Holder, Passenger with Vanity Mirror | Driver with Ticket Holder, Passenger with Vanity Mirror | Driver with Ticket Holder, Passenger with Vanity Mirror | Driver with Ticket Holder, Passenger with Vanity Mirror | Driver with Ticket Holder, Passenger with Vanity Mirror |
| Overhead Console with Map Lamps (X2) and Sunglasses Holder | - | - | - | Standard | Standard | Standard |
| Digital Clock | Standard | Standard | Standard | Standard | Standard | Standard |
| Cruise Control | - | - | - | Standard | Standard | Standard |
| Multi-Information Display (MID) | - | - | - | Standard | Standard | Standard |
| Dashboard Illumination Control | Standard | Standard | Standard | Standard | Standard | Standard |
| Power Socket – Auxiliary 12V IP Mounted | 1 | 1 | 1 | 1 | 1 | 1 |
| Cigarette Lighter | Standard | Standard | Standard | Standard | Standard | Standard |
| Lockable Glove Box | Standard | Standard | Standard | Standard | Standard | Standard |
| Utility Box on Glove Box | Standard | Standard | Standard | Standard – High Type | Standard – High Type | Standard – High Type |
| Steering Column Adjustment | Tilt and Telescopic |
| Steering Wheel Trim | Urethane | Urethane | Urethane | Leather | Leather | Leather |
| Steering Wheel Multi-Functional Controls | Audio Controls | Audio Controls | Audio Controls | Audio and Auto Cruise | Audio and Auto Cruise | Audio and Auto Cruise |
| Gear Shift Trim | Urethane | Urethane | Urethane | Urethane | Urethane | Urethane |
| Front Seat Configuration | Bucket Seats (x2) |
| Rear Seat Configuration | 60:40 Split-Cushion Bench |
| Seat Trim | Cloth | Cloth | Cloth | Cloth | Cloth | Cloth |
| Seat Adjustment | 6-Way Manual Driver |
| Storage Pockets behind Front Seats | - | - | - | Standard | Standard | Standard |
| Door Trim with Storage Pockets and Integrated Cupholders | Standard | Standard | Standard | Standard | Standard | Standard |
| Interior Door Release Handle | Black | Black | Black | Silver | Silver | Silver |
| Interior Trim Colours | Pale Grey Upper / Black Lower |
| A-pillar Assist Grip – Driver and Passenger | Standard | Standard | Standard | Standard | Standard | Standard |
| Roof-Mounted Assist Grips | Passengers | Passengers | Passengers | Driver and Passengers | Driver and Passengers | Driver and Passengers |
| Floor Trim | Carpet with Heel Pad and Tibia Pad |
| Floor Tunnel Console with Integrated Cupholder | Standard | Standard | Standard | Standard | Standard | Standard |
| Centre Console Storage Box with Lid | Standard | Standard | Standard | Standard | Standard | Standard |
| Driver Footrest | Standard | Standard | Standard | Standard | Standard | Standard |
| Rear Heater Duct | Standard | Standard | Standard | Standard | Standard | Standard |
| Rear Ventilation Duct | - | - | - | - | - | - |
| Storage Box | - | - | - | - | - | - |
| Window Operation | Power Front and Rear with Driver One-Touch, Jam Protection and Timer | Power Front and Rear with Driver One-Touch, Jam Protection and Timer | Power Front and Rear with Driver One-Touch, Jam Protection and Timer | Power Front and Rear with Driver One-Touch, Jam Protection and Timer | Power Front and Rear with Driver One-Touch, Jam Protection and Timer | Power Front and Rear with Driver One-Touch, Jam Protection and Timer |
| Rear Window | Fixed without Defogger |
| Fuel Flap Remote Opener | Standard | Standard | Standard | Standard | Standard | Standard |
| Ventilator Grille with Shutter (Fin Shut) | Standard | Standard | Standard | Standard | Standard | Standard |

| MODELS | D-MAX 3.0 Ddi 4X4 LS | D-MAX 3.0 Ddi 4X4 LS A/T | D-MAX 3.0 Ddi LSE A/T | D-MAX 3.0 Ddi 4X4 LSE A/T | D-MAX 3.0 Ddi V-Cross A/T | D-MAX 3.0 Ddi 4X4 V-Cross A/T |
|---|--|--|--|--|--|--|
| INTERIOR FEATURES | | | | | | |
| Power-Assisted Steering (PAS) | Hydraulic | Hydraulic | Hydraulic | Hydraulic | Electric | Electric |
| Air Conditioning | Manual | Manual | Automatic, Dual Zone | Automatic, Dual Zone | Automatic, Dual Zone | Automatic, Dual Zone |
| Pollen Filter | Standard | Standard | Standard | Standard | Standard | Standard |
| Inside Rear-View Mirror | Day / Night | Day / Night | Day / Night | Day / Night | Auto Diming | Auto Diming |
| Sunvisor | Driver with Ticket Holder, Passenger with Vanity Mirror | Driver with Ticket Holder, Passenger with Vanity Mirror | Driver and Passenger with Vanity Mirror Light |
| Overhead Console with Map Lamps (X2) and Sunglasses Holder | Standard | Standard | Standard | Standard | Standard | Standard |
| Digital Clock | Standard | Standard | Standard | Standard | Standard | Standard |
| Cruise Control | Standard | Standard | Standard | Standard | Standard, Adaptive | Standard, Adaptive |
| Multi-Information Display (MID) | Standard | Standard | Standard | Standard | Standard | Standard |
| Dashboard Illumination Control | Standard | Standard | Standard | Standard | Standard | Standard |
| Power Socket – Auxiliary 12V IP Mounted | 1 | 1 | 1 | 1 | 1 | 1 |
| Cigarette Lighter | Standard | Standard | Standard | Standard | Standard | Standard |
| Lockable Glove Box | Standard | Standard | Standard | Standard | Standard | Standard |
| Utility Box on Glove Box | Standard – High Type |
| Steering Column Adjustment | Tilt and Telescopic |
| Steering Wheel Trim | Leather | Leather | Leather | Leather | Leather | Leather |
| Steering Wheel Multi-Functional Controls | Audio and Auto Cruise | Audio, SAS, Auto Cruise and Adaptive Cruise Control | Audio, SAS, Auto Cruise and Adaptive Cruise Control |
| Gear Shift Trim | Urethane | Urethane | Leather with Decorate | Leather with Decorate | Leather with Decorate | Leather with Decorate |
| Front Seat Configuration | Bucket Seats (x2) |
| Rear Seat Configuration | 60:40 Split-Cushion Bench |
| Seat Trim | Cloth | Cloth | Partial Leather | Partial Leather | Partial Leather | Partial Leather |
| Seat Adjustment | 6-Way Manual Driver | 6-Way Manual Driver | 8-Way Power Driver, Power Lumbar Support Driver | 8-Way Power Driver, Power Lumbar Support Driver | 8-Way Power Driver, Power Lumbar Support Driver | 8-Way Power Driver, Power Lumbar Support Driver |
| Storage Pockets behind Front Seats | Standard | Standard | Standard | Standard | Standard | Standard |
| Door Trim with Storage Pockets and Integrated Cupholders | Standard | Standard | Standard | Standard | Standard | Standard |
| Interior Door Release Handle | Silver | Silver | Chrome | Chrome | Chrome | Chrome |
| Interior Trim Colours | Pale Grey Upper / Black Lower | Black Upper / Black Lower | Black Upper / Black Lower |
| A-pillar Assist Grip – Driver and Passenger | Standard | Standard | Standard | Standard | Standard | Standard |
| Roof-Mounted Assist Grips | Driver and Passengers |
| Floor Trim | Carpet with Heel Pad and Tibia Pad |
| Floor Tunnel Console with Integrated Cupholder | Standard | Standard | Standard | Standard | Standard | Standard |
| Centre Console Storage Box with Lid | Standard | Standard | Standard with Soft Pad with Stitch |
| Driver Footrest | Standard | Standard | Standard | Standard | Standard | Standard |
| Rear Heater Duct | Standard | Standard | - | - | - | - |
| Rear Ventilation Duct | - | - | Standard | Standard | Standard | Standard |
| Storage Box | - | - | - | - | - | - |
| Window Operation | Power Front and Rear with Driver One-Touch, Jam Protection and Timer | Power Front and Rear with Driver One-Touch, Jam Protection and Timer | Power Front and Rear with Driver One-Touch, Jam Protection and Timer | Power Front and Rear with Driver One-Touch, Jam Protection and Timer | Power Front and Rear with Driver One-Touch, Jam Protection and Timer | Power Front and Rear with Driver One-Touch, Jam Protection and Timer |
| Rear Window | Fixed without Defogger | Fixed without Defogger | Fixed with Defogger | Fixed with Defogger | Fixed with Defogger | Fixed with Defogger |
| Fuel Flap Remote Opener | Standard | Standard | Standard | Standard | Standard | Standard |
| Ventilator Grille with Shutter (Fin Shut) | Standard | Standard | Standard | Standard | Standard | Standard |

| MODELS | D-MAX 1.9 Ddi L | D-MAX 1.9 Ddi LA/T | D-MAX 1.9 Ddi 4X4 L | D-MAX 1.9 Ddi LS | D-MAX 1.9 Ddi LS A/T | D-MAX 1.9 Ddi 4X4 LS A/T |
|--|---|---|---|--|--|--|
| INFOTAINMENT | | | | | | |
| Audio System | AM/FM Radio, CD Player, USB, Clock, Bluetooth® - Audio Streaming and Hands-Free Phone | AM/FM Radio, CD Player, USB, Clock, Bluetooth® - Audio Streaming and Hands-Free Phone | AM/FM Radio, CD Player, USB, Clock, Bluetooth® - Audio Streaming and Hands-Free Phone | AM/FM Radio, 7" Touchscreen, Bluetooth® - Audio Streaming, Apple CarPlay® and Android Auto, Wi-Fi and Hands-Free Phone | AM/FM Radio, 7" Touchscreen, Bluetooth® - Audio Streaming, Apple CarPlay® and Android Auto, Wi-Fi and Hands-Free Phone | AM/FM Radio, 7" Touchscreen, Bluetooth® - Audio Streaming, Apple CarPlay® and Android Auto, Wi-Fi and Hands-Free Phone |
| USB Port (Music Playback and Device Link) | Standard | Standard | Standard | Standard | Standard | Standard |
| USB Charge Port | - | - | - | Rear | Rear | Rear |
| Speakers | 4 | 4 | 4 | 6 | 6 | 6 |
| Antenna | Standard | Standard | Standard | Standard | Standard | Standard |

| OPTIONS | | | | | | |
|--|-----------|-----------|-----------|-----------|-----------|-----------|
| 17" Alloy Wheel | Available | Available | Available | - | - | - |
| 18" Alloy Wheel and 265 / 60 R18 Tyre (All Terrain) | - | - | - | Available | Available | Available |
| 18" Alloy Wheel and 265 / 60 R18 Tyre (H/T Terrain) | - | - | - | Available | Available | Available |
| Differential Lock | Available | Available | - | - | - | - |
| Hub Cap Steel Wheel | - | - | - | - | - | - |
| Hub Cap Alloy Wheel | Available | Available | Available | - | - | - |
| Spare Tyre Steel | - | - | - | - | - | - |
| Spare Tyre Alloy | - | - | - | Available | Available | Available |
| Sports Bar - Black | Available | Available | Available | Available | Available | Available |
| Sports Bar - Chrome | Available | Available | Available | Available | Available | Available |
| Rear Sliding Window | Available | Available | Available | Available | Available | Available |
| Body Colour Front Bumper | Available | Available | Available | - | - | - |
| Body Colour Rear Bumper | Available | Available | Available | - | - | - |
| Cab Protector | - | - | - | - | - | Available |
| Safari beige | Available | Available | Available | Available | Available | Available |
| Safari beige with black rear step | - | - | - | Available | Available | Available |
| Partial Leather Seat with Manual Adjustment | - | - | - | Available | Available | Available |

| WARRANTY / SERVICE INTERVALS | | | | | | |
|---|------------------------|------------------------|------------------------|------------------------|------------------------|------------------------|
| Warranty and Roadside Assistance | 5 Years / 120 000 km |
| Anti-Corrosion Warranty | 5 Years / Unlimited km |
| Service Plan | 5 Years / 90 000 km |
| Service Intervals | 12 Months / 15 000 km |



| MODELS | D-MAX 3.0 Ddi 4X4 LS | D-MAX 3.0 Ddi 4X4 LS A/T | D-MAX 3.0 Ddi LSE A/T | D-MAX 3.0 Ddi 4X4 LSE A/T | D-MAX 3.0 Ddi V-Cross A/T | D-MAX 3.0 Ddi 4X4 V-Cross A/T |
|--|--|--|--|--|--|--|
| INFOTAINMENT | | | | | | |
| Audio System | AM/FM Radio, 7" Touchscreen, Bluetooth® - Audio Streaming, Apple CarPlay® and Android Auto, Wi-Fi and Hands-Free Phone | AM/FM Radio, 7" Touchscreen, Bluetooth® - Audio Streaming, Apple CarPlay® and Android Auto, Wi-Fi and Hands-Free Phone | AM/FM Radio, 9" Touchscreen, Bluetooth® - Audio Streaming, Apple CarPlay® and Android Auto, Wi-Fi and Hands-Free Phone | AM/FM Radio, 9" Touchscreen, Bluetooth® - Audio Streaming, Apple CarPlay® and Android Auto, Wi-Fi and Hands-Free Phone | AM/FM Radio, 9" Touchscreen, Bluetooth® - Audio Streaming, Apple CarPlay® and Android Auto, Wi-Fi and Hands-Free Phone | AM/FM Radio, 9" Touchscreen, Bluetooth® - Audio Streaming, Apple CarPlay® and Android Auto, Wi-Fi and Hands-Free Phone |
| USB Port (Music Playback and Device Link) | Standard | Standard | Standard | Standard | Standard | Standard |
| USB Charge Port | Rear | Rear | Rear | Rear | Rear | Rear |
| Speakers | 6 | 6 | 8 | 8 | 8 | 8 |
| Antenna | Standard | Standard | Standard | Standard | Standard | Standard |

| OPTIONS | | | | | | |
|--|-----------|-----------|-----------|-----------|-----------|-----------|
| 17" Alloy Wheel | - | - | - | - | - | - |
| 18" Alloy Wheel and 265 / 60 R18 Tyre (All Terrain) | Available | Available | - | - | - | - |
| 18" Alloy Wheel and 265 / 60 R18 Tyre (H/T Terrain) | Available | Available | Available | Available | Available | Available |
| Differential Lock | - | - | - | - | - | - |
| Hub Cap Steel Wheel | - | - | - | - | - | - |
| Hub Cap Alloy Wheel | - | - | - | - | - | - |
| Spare Tyre Steel | - | - | - | - | - | - |
| Spare Tyre Alloy | Available | Available | - | - | - | - |
| Sports Bar - Black | Available | Available | - | - | - | - |
| Sports Bar - Chrome | Available | Available | - | - | - | - |
| Rear Sliding Window | Available | Available | Available | Available | Available | Available |
| Body Colour Front Bumper | - | - | - | - | - | - |
| Body Colour Rear Bumper | - | - | - | - | - | - |
| Safari beige | Available | Available | - | - | - | - |
| Safari beige with black rear step | Available | Available | - | - | - | - |
| Partial Leather Seat with Manual Adjustment | Available | Available | - | - | - | - |

| WARRANTY / SERVICE INTERVALS | | | | | | |
|---|------------------------|------------------------|------------------------|------------------------|------------------------|------------------------|
| Warranty and Roadside Assistance | 5 Years / 120 000 km |
| Anti-Corrosion Warranty | 5 Years / Unlimited km |
| Service Plan | 5 Years / 90 000 km |

¹ Fuel Economy and CO₂ data as per ECE R101 / SANS 20101 regulation. Note that the actual fuel consumption will depend on many factors, including the driver's driving habits, prevailing conditions and the vehicle's equipment, condition and use.

² Towing capacity subject to South African Road Traffic Act. The weight of the towing vehicle including trailer towball load must not exceed the Gross Vehicle Mass (GVM). The combined weight of the fully loaded vehicle and trailer must not exceed the Gross Combination Mass (GCM). Maximum individual axle loads (GA1 and GA2) must not be exceeded (e.g.: if a 3.0L Diesel is towing 3 500 kg, its maximum vehicle mass is 2 500 kg in order to be within GCM).





MODEL SHOWN: D-MAX 3.0 Double Cab 4X4 LSE A/T



D-MAX L

The D-MAX L trim level comes with generous levels of spec. Herewith a summary of the noteworthy specifications:

INTERIOR

Manual 6-Way Adjustable Cloth Seat with Integrated Headrest, Carpet Floor Trim with Heel Pad & Tibia Pad, Driver & Passenger Sunvisor with Passenger Vanity Mirror, Urethane Steering Wheel with Audio Controls, Power Windows with Driver Auto Up/Down and Jam Protection.

EXTERIOR

17" Steel Wheels, Black Outside Rear-View Mirror with Power Adjust and Full Centre Floor Console with Lid.

SAFETY

Anti-Theft Alarm, ISOFIX Child-Seat Anchorage with Top Tether, Power Door Lock with Remote Keyless Entry & Speed Sensing Door lock.

PERFORMANCE

Available with a 1.9 Litre Turbo Diesel Engine mated with 6-Speed Manual or 6-Speed Automatic Transmissions and 4X2 or 4X4 Drive Configurations.

BOLD COLOURS AND FINISHES

---Value offering Safari Beige available in ISUZU D-MAX Standard, L and LS models.

---ISUZU D-MAX - Base, and L available in Splash White, Mercury Silver, Red Spinel, Biarritz Blue, and Onyx Black

---ISUZU D-MAX - LS, LSE, V-CROSS available in Splash White, Mercury Silver, Red Spinel, Biarritz Blue, Onyx Black and Islay Gray

---ISUZU D-MAX V-CROSS available in Desert Orange



Specifications in black have been added to the new D-MAX.



Manual 6-Way Adjustable Cloth Seat



D-MAX LS

The D-MAX LS trim level comes with the same features as the L level, but also includes the following additional specifications:

INTERIOR

Leather Steering Wheel with Audio & Cruise Controls, Manual 6-Way Adjustable Cloth bucket Seats with Separate Headrest, Overhead Console with Map Lamps and Sunglasses Holder.

EXTERIOR

17" Alloy Wheels, Halogen Front Fog Lamps, Halogen Headlamps with Manual Levelling, Halogen Daytime Running Lights, Body Colour Outside Rear-View Mirror with Power Adjust & Turn Signal, Body Colour Exterior Door Handles, Body Colour Front & Rear Bumpers, Medium Grey Metallic Radiator Grille and Black Side-Steps.

TECH

7" AM/FM Radio with Bluetooth®, USB, Wi-Fi, 6 Speakers, Auto Cruise Control, Rear Park Assist, Rear-View Camera and Rear USB Charge Port.

SAFETY

Airbags: Driver, Passenger, Seat Side, Curtain & Driver Knee. Ultrasonic Alarm.

PERFORMANCE

Available with 1.9 Litre & 3.0 Litre Turbo Diesel Engines mated with 6-Speed Manual or 6-Speed Automatic Transmissions and 4X2 or 4X4 Drive Configurations and Differential Lock (4X4).



Specifications in black have been added to the new D-MAX.

ALL-NEW ISUZU
D-MAX



Front Seats

Power 8-Way Adjustable Partial Leather Seat with Power Lumbar Support



Rear Bench

Power 8-Way Adjustable Partial Leather Seat with Power Lumbar Support



Front Seats



D-MAX LSE

The D-MAX LSE trim level comes with the same features as the LS level, but also includes the following additional specifications:

INTERIOR

Power 8-Way Adjustable Partial Leather Seat with Power Lumbar Support with Separate Headrest, Driver & Passenger Sunvisor with Illuminated Vanity Mirror, Leather Gear Shift Lever, Dual Zone Automatic Air Conditioning, Fixed Rear Window with Defogger and Full Centre Floor Console with Soft Pad Lid., Far side airbag.

EXTERIOR

18" Alloy Wheels, LED Front Fog Lamps, LED Daytime Running Lights, LED Headlamps with Automatic Levelling, Auto On/Off, LED Taillights with Rear Fog Lamps, Chrome Outside Rear-View Mirror with Power Adjust & Fold, Heated and with Turn Signal, B-Pillar Blackout, Chrome Exterior Door Handles, Chrome Radiator Grille, Roof Rails, 3.5T Towbar and Chrome Tubular Sports Bar.



TECH

9" AM/FM Radio, Bluetooth®, USB, Wi-Fi, 8 Speakers, Auto Rain-Sensing Wipers, Front & Rear Park Assist, Passive Entry Start System and Tyre Pressure Monitoring System (Inflation Detection), Remote Engine Start.

ADAS SAFETY FEATURES

Blind-Spot Monitor, Rear Cross-Traffic Alert and Rear Radar.

PERFORMANCE

Available with a 3.0 Litre Turbo Diesel Engine mated with 6-Speed Automatic Transmission and 4X2 or 4X4 Drive Configurations and Differential Lock.



D-MAX V-CROSS

The D-MAX V-CROSS trim level comes with the same features as the LSE level, but also includes the following additional specifications:

INTERIOR

Power 8-Way Adjustable Partial Leather Seat with Power Lumbar Support. Passenger-car-like luxury and comfort.

EXTERIOR

Dark Grey Matt 18" Alloy Wheels, Gun Metallic Exterior Door Handles, Gun Metallic Front Bumper Cladding, Gun Metallic Outside Rear-View Mirror with Power Adjust & Power Fold, Heated and with Turn Signal, Gun Metallic Over Fenders (Fender Flares), Gun Metallic Radiator Grille, Gun Metallic Hooped Sports Bar and Medium Grey Side-Steps.

TECH

Adaptive Cruise Control, Automatic High Beam Headlamps, Electric Power Steering, Electrochromatic Rear View Mirror and Stereo Front Camera, Remote Engine Start.

SAFETY

Airbags: Driver, Passenger, Seat Side, Far Side, Curtain and Driver Knee, and Multi-Collision Brake.

ADAS SAFETY FEATURES

Autonomous Emergency Braking, Forward Collision Alert, Lane Support System: Lane-Departure Warning, Lane-Keep Assist, Lane-Departure Prevention, Emergency Lane-Keep. Pedal Misapplication Mitigation; A/T Misacceleration Mitigation, Speed Assistance System with Manual Speed Limiter.

PERFORMANCE

Available with a 3.0 Litre Turbo Diesel Engine mated with a 6-Speed Automatic Transmission and 4X2 or 4X4 Drive Configurations with a Differential Lock.



Specifications in black have been added to the new D-MAX.

Specifications in black have been added to the new D-MAX.

ALL-NEW ISUZU
D-MAX

BOLD IS PEACE OF MIND



WARRANTY & ROADSIDE ASSISTANCE: 5 Years / 120 000 km


ANTI-CORROSION WARRANTY: 5 Years / Unlimited km

SERVICE PLAN: 5 Years / 90 000 km with Service Intervals of
12 months / 15 000 km

ISUZU

**COMPLETE
CARE**

24/7 CALL CENTRE: Toll free within South Africa and also available in neighbouring countries. **TOWING SERVICE OR TECHNICAL ASSISTANCE:** In the event of a vehicle breakdown, Isuzu will arrange for towing to the closest dealership for diagnosis and repairs. Where possible, roadside repair will be carried out, with the assistance of an Isuzu dealership or Roadside Assistance technician. **ACCOMMODATION OR RENTAL CAR:** Should you be stranded further than 100 km from your home or destination due to the breakdown or resulting repair work, a FREE rental car or FREE overnight accommodation will be provided. A fuel deposit (fully refundable on return of the vehicle with a full tank) is payable for rental cars supplied, while fuel and toll costs incurred during the rental are for your own account. **SAFETY AT ROADSIDE:** Should you feel unsafe, a security vehicle (depending on availability) will be dispatched for your protection. **OVERNIGHT STORAGE:** Will be provided for your vehicle if required. **REPATRIATION OF YOUR VEHICLE:** Upon completion of repairs, to your home or closest dealer, if further than 100 km from home. **FLAT TYRE ASSISTANCE:** In the event of a flat tyre, we offer assistance with the tyre change. **KEYS LOCKED IN:** Assistance provided here too. **FUEL ASSISTANCE:** You pay only for the fuel supplied. **COMMUNICATION OF URGENT MESSAGES:** Including assistance with directions, to family members. **INFORMATION SERVICES:** Explanation of vehicle warning systems, as well as location of closest dealer, filling station or where to get a new tyre.



South Africa is a beautiful and unique country, and exploring it takes more than just a vehicle and driver's licence. If you are considering purchasing a lifestyle vehicle, come and experience a day at our ISUZU DRIVING ACADEMY to assist in your selection.

We will teach you to conquer the extraordinary, the exciting and the hazardous.

- One-day 4X4 Off-Road
- Two-day Advanced 4X4 Off-Road
- Defensive Advanced On-Road
- Truck Training
- Corporate, Team Building and Year-end Events

www.isuzu.co.za f X @ in

ISUZU

With you, for the long run

Disclaimer: The information contained in this document was accurate at the time of going to print February 2024. Specifications and equipment are subject to change without prior notice. Some illustrations in this document feature special equipment that is not included in standard delivery, and can be purchased at an additional cost. Vehicles may differ from images shown. Printed colours may vary from actual. Errors and omissions excepted. Terms and conditions apply. Please contact your ISUZU retailer for exact information.